

(FILE 'HOME' ENTERED AT 09:17:04 ON 24 MAY 2010)

FILE 'MEDLINE, CAPLUS, EMBASE, BIOSIS, BIOTECHNO, COMPUSCIENCE' ENTERED
AT 09:17:45 ON 24 MAY 2010

```

L1      259186 S MICROARRAY
L2      4 S SCALE (5A) CONTROL (W) AVERAGE
L3      13232 S L1 AND SCAL?
L4      5 S L1 AND (AVERAGE PROFILE)
L5      6 S ASSOCIATIVE T-TEST
L6      554 S (FALSE POSITIVE RATE) AND (TRUE POSITIVE RATE)
L7      31 S L1 AND L6
L8      6949 S (FALSE POSITIVE?) AND (TRUE POSITIVE?)
L9      103 S L1 AND L8
L10     43 S KOLMOGOROV AND L1
L11     6288 S "F-TEST" OR (F(W)TEST)
L12     114540 S "T-TEST" OR (T(W)TEST)
L13     948 S L11 (S) L12
L14     78 S L13 (S) COMPARISON
L15     13 S L13 AND (FALSE POSITIVE)
L16     199 S L12 (5W) (RESIDUAL OR ERROR OR DEVIATION)
L17     4 S L16 AND L1
L18     40 S ("T-TEST" OR "T TEST") (5N) RESIDU?
L19     363 S ("DOZMOROV I"/AU OR "DOZMOROV I DR"/AU OR "DOZMOROV I G"/AU O
L20     397 S ("CENTOLA M"/AU OR "CENTOLA M B"/AU OR "CENTOLA MICHAEL"/AU O
L21     625 S L19 OR L20

```

=>